Section 4

DEATH CERTIFICATE MAIN ELEMENTS

MULTIPLE CONDITIONS

Death Certificate number: DthCrtNum	4-3
Birth place: BthPlc Country of birth if not listed: BthTxt	4-4
Veteran status: Vetran	4-6
Marital status: MarStat	4-7
Place of death: Dthplace Place of death if other: PDthTx	4-8
Date pronounced dead: PrncdDt	4-9
Date of death: DthDt	4-10
State of death: DthState	4-11
CAUSE OF DEATH	4-13
Underlying cause of death code: ICD_10	4-14
4th: 4th_ICD	
5th: 5th_ICD	
Autopsy performed: Autpsy	4-18
Person was pregnant: Preg	4-19
Manner of death: Manner	4-20
Date of injury: IDate	4-21
Time of injury: ITime	
Type of location where injured: LocTyp	4-22
Injured at work: AtWork	4-24
INJURY ADDRESS	4-26
Survival time no. of units: Surviv Unit of time used in survival time: Sunit	4-30
Education: Educ Number years education: OldEduc	4-31

USUAL OCCUPATION	4-34
Multiple conditions on Death Certificate 1-20: Mult1001 through Mult1020	4-36
Mult1001D4 through Mult1020D5	
Mult1001D5 through Mult1020D5	

Death Certificate number: DthCrtNum

Name	Definition
DthCrtNum	Victim's death certificate number

Uses

The death certificate number is used only for data linkage and tracking purposes. See the Introduction section of this manual for a discussion about handling variables that can identify individual persons or agencies.

Discussion

None

Name	Label	Table	Туре	Field Length	Priority	Primacy
DthCrtNum	Death Certificate number:	Person	Text	50	ER	DC

Response Options:

DthCrtNum

Birth place: BthPlc Country of birth if not listed: BthTxt

Name	Definition
BthPlc	Person's state of birth
BthTxt	Person's country of birth, if not U.S.

Uses

Used for identifying immigrants.

Discussion

The state of birth is indicated on the death certificate and is coded by the vital statistics registry using the code list below. Note: the code list used for place of birth is not a FIPS code list, it is the National Center for Health Statistics code list. If the victim was not born in the United States, please enter the victim's country of birth and refer to code list for Country.

Name	Label	Table	Type	Field Length	Priority	Primacy
BthPlc	Birth place:	Person	Number	2	LR/LR	DC/CME
BthTxt	Country of birth if not listed:	Person	Text	30	O/O	DC/CME

Response Options:

BthPlc

- 1 Alabama
- 2 Alaska
- 3 Arizona
- 4 Arkansas
- 5 California
- 6 Colorado
- 7 Connecticut
- 8 Delaware
- 9 District of Columbia
- 10 Florida
- 11 Georgia
- 12 Hawaii
- 13 Idaho
- 14 Illinois
- 15 Indiana
- 16 Iowa
- 17 Kansas
- 18 Kentucky
- 19 Louisiana
- 20 Maine

- 21 Maryland
- 22 Massachusetts
- 23 Michigan
- 24 Minnesota
- 25 Mississippi
- 26 Missouri
- 27 Montana
- 28 Nebraska
- 29 Nevada
- 30 New Hampshire
- 31 New Jersey
- 32 New Mexico
- 33 New York
- 34 North Carolina
- 35 North Dakota
- 36 Ohio
- 37 Oklahoma
- 38 Oregon
- 39 Pennsylvania
- 40 Rhode Island
- 41 South Carolina
- 42 South Dakota
- 43 Tennessee
- 44 Texas
- 45 Utah
- 46 Vermont
- 47 Virginia
- 48 Washington
- 49 West Virginia
- 50 Wisconsin
- 51 Wyoming
- 52 Puerto Rico
- 53 Virgin Island
- 54 Guam
- 55 Canada
- 56 Cuba
- 57 Mexico
- 61 American Samoa
- 62 Northern Marianas
- Remainder of the world (specify in birthplace text)
- 99 Unknown

BthTxt

Refer to Countr

Data Standards or Guidelines

Veteran status: Vetran

Name	Definition
Vetran	Has the person ever served in the U.S. Armed Forces?

Uses

Used to examine violent injury deaths among veterans.

Discussion

Veteran status is indicated on the death certificate in section "Ever in U.S. Armed Forces". If a state's death certificate has the variant wording, "If U.S. War veteran, specify war," a blank or missing response should be coded as "Unknown" rather than "No".

Name	Label	Table	Type	Field Length	Priority	Primacy	
Vetran	Veteran status:	Person	Number	1	LR	DC	_

Response Options:

Vetran

- 0 No
- 1 Yes
- 9 Unknown

Data Standards or Guidelines

Marital status: MarStat

Name	Definition
MarStat	Person's marital status

Uses

The victim's marital status is standard demographic information used in epidemiologic analyses. It can be used to explore whether certain types of marital status are a risk factor for violent death (such as widowhood as a risk for suicide).

Discussion

Marital status is regularly completed on the death certificate and often noted in law enforcement or medical examiner records. Marital status should be completed for persons of all ages, including children. If the marital status is not explicitly noted, code as 9, "Unknown". In an incident in which a person kills their spouse, their marital status should be coded as "Married", not "Widowed". Use "Widowed" for a person of either sex whose spouse has died. Use the "Single" option when this term is used in CME records and it is not clear whether the person was never married, widowed, divorced, or separated. Consider a person in a common-law marriage to be "Married".

Name	Label	Table	Type	Field Length	Priority	Primacy	
MarStat	Marital status:	Person	Number	1	LR/LR	DC/CME	_

Response Options:

MarStat

- 1 Married
- 2 Never Married
- 3 Widowed
- 4 Divorced
- 5 Married, but separated
- 6 Single, not otherwise specified
- 9 Unknown

Data Standards or Guidelines

Place of death: Dthplace
Place of death if other: PDthTx

Name	Definition
Dthplace	Victim's place of death
PDthTx	Text if place of death is "other"

Uses

The place of death may be useful for emergency response planning and to assist in evaluating hospital or EMS services.

Discussion

The code list for Place of Death is the list used on the new standard U.S. death certificate. The older standard certificate uses slightly different codes (e.g., there is no separate code for "Hospice," and "residence" is used rather than "Decedent's home".) If your state uses the older code list, "residence" is comparable to "Decedent's home" (although this may sometimes be incorrect). Some deaths will be coded on the death certificate as "Other" for place of death. This will usually refer to "Scene" deaths (e.g., a homicide victim who dies on the street). If "Other" is coded on the death certificate, enter the place of death in the free text field if the place is specified on the death certificate. If it is not, leave the text field blank. Do not enter the information supplied in the death certificate's item, "Place of injury", as this may be a different location than the place where the victim actually died. "Body location" can be used as place of death if there is no indication that the person died elsewhere.

Name	Label	Table	Type	Field Length	Priority	Primacy
Dthplace	Place of death:	Person	Number	1	ER/LR	DC/CME
PDthTx	Place of death if other:	Person	Text	30	O/O	DC/CME

Response Options:

Dthplace

- 1 Hospital inpatient
- 2 ED/outpatient
- 3 Dead on arrival
- 4 Hospice facility
- 5 Nursing home, long-term care facility
- 6 Decedent's home
- 7 Other (specify)
- 9 Undetermined

PDthTx

Data Standards or Guidelines

Date pronounced dead: PrncdDt

Name	Definition
PrncdDt	Date on which the victim was found or pronounced dead

Uses

This variable is useful when a person is found dead and the actual date of death is unclear. It provides a date that the death must have preceded.

Discussion

This field is found on the standard death certificate as Item 24, "Date pronounced dead". It should differ from the actual date of death only when death was not observed and may have occurred prior to the date the body was found. This date should be known in every case, whereas the day, month, or even year of actual death may be unknown.

Name	Label	Table	Туре	Field Length	Priority	Primacy
PrncdDt	Date pronounced dead:	Person	Text	10	ER	DC

Response Options:

PrncdDt

Data Standards or Guidelines

Date of death: DthDt

Name	Definition
DthDt	Date of victim's death

Uses

Date of death determines the data year in which the victim will be counted in conjunction with date and time of the incident and with survival time. It can be used for emergency response planning and to assist in evaluating the effectiveness of EMS services and hospital care. See the Introduction section of this manual for a discussion about handling variables that can identify individual persons or agencies.

Discussion

When recording the information from the death certificate, enter the date of death exactly as it appears in the "Date of Death" field, even if the word "found" or "pronounced" precedes it on the hard copy. If the date on the CME report is referred to as an actual date of death, record it. If the date is referred to as the date on which the body was found or the death was pronounced, and it is unknown on which date the death actually occurred, enter only that portion of the date that is known. For example, if a person was last seen on a Friday and their body was discovered on a Monday and it is unknown when they died, enter the actual month and year, but enter "99" for the day.

Name	Label	Table	Type	Field Length	Priority	Primacy
DthDt	Date of death:	Person	Text	10	ER/LR	DC/CME

Response Options:

DthDt

Data Standards or Guidelines NVISS

State of death: DthState

Name	Definition
DthState	State in which the death occurred

Uses

Identifies the state in which the death certificate was filed. This variable will be used to facilitate data sharing across states when state of injury and state of death differ.

Discussion

State of death will usually be the same as state of injury; however, on occasion the two will differ. This is true for victims who are injured in one state and transported to another state for emergency medical care. If the state of death is unknown, enter the state in which the person was pronounced dead, i.e., the state that issued the death certificate. If the person was pronounced dead in a U.S. territory, enter the FIPS code for that territory. If the person was not pronounced dead in any U.S. state or territory, enter 88, for "Not applicable". Native American reservations should be coded as the state where it is located.

Name	Label	Table	Type	Field Length	Priority	Primacy
DthState	State of death:	Person	Number	2	ER/LR/LR	DC/CME/PR

Response Options:

DthState

- 1 Alabama
- 2 Alaska
- 4 Arizona
- 5 Arkansas
- 6 California
- 8 Colorado
- 9 Connecticut
- 10 Delaware
- 11 District of Columbia
- 12 Florida
- 13 Georgia
- 15 Hawaii
- 16 Idaho
- 17 Illinois
- 18 Indiana
- 19 Iowa
- 20 Kansas
- 21 Kentucky
- 22 Louisiana
- 23 Maine
- 24 Maryland
- 25 Massachusetts

Person/DC/Main Elements

- 26 Michigan
- 26 Michigan
- 27 Minnesota
- 28 Mississippi
- 29 Missouri
- 30 Montana
- 31 Nebraska
- 32 Nevada
- 33 New Hampshire
- 34 New Jersey
- 35 New Mexico
- 36 New York
- 37 North Carolina
- 38 North Dakota
- 39 Ohio
- 40 Oklahoma
- 41 Oregon
- 42 Pennsylvania
- 43 Puerto Rico
- 44 Rhode Island
- 45 South Carolina
- 46 South Dakota
- 47 Tennessee
- 48 Texas
- 49 Utah
- 50 Vermont
- 51 Virginia
- 53 Washington
- 54 West Virginia
- 55 Wisconsin
- 56 Wyoming
- 60 American Samoa
- 64 Federated States of Micronesia
- 66 Guam
- 68 Marshall Islands
- 69 Northern Mariana Islands
- 70 Palau
- 74 U.S. Minor Outlying Islands
- 78 Virgin Islands of the U.S.
- 88 Not applicable
- 99 Unknown

Data Standards or Guidelines

Federal Information Processing Standards (FIPS); National Institute of Standards and Technologies; U.S. Postal Service

CAUSE OF DEATH

Immediate cause of death text:

CauslA

Cause leading to immediate cause text:

Next antecedent cause of death text:

CauslC

Underlying cause of death text:

CauslD

Name	Definition
CausIA	Immediate cause of death (text)
CausIB	Cause leading to immediate cause of death (text)
CausIC	Next antecedent cause of death (text)
CausID	Underlying cause of death (text)

Uses

The text that the death certifier supplies on the death certificate regarding the causes of death can be used to identify reportable cases in a timely manner. While coded data that captures the underlying cause of death using ICD codes is an efficient means of identifying confirmed cases, these coded data will not be available in some states for many months.

Discussion

Enter the text exactly as it appears on the death certificate. The letters in the variable names correspond to the lettered lines appearing on the death certificate. Some death certificates will not have an entry on all four lines, so not all four variables need to be completed.

Name	Label	Table	Type	Field Length	Priority	Primacy
CausIA	Immediate cause of death text:	Person	Text	120	ER	DC
CausIB	Cause leading to immediate cause text:	Person	Text	120	O	DC
CausIC	Next antecedent cause of death text:	Person	Text	120	О	DC
CausID	Underlying cause of death text:	Person	Text	120	О	DC

Response Options:

CausIA

CausIB

CausIC

CausID

None

Data Standards or Guidelines

Underlying cause of death code: ICD_10
4th: 4th_ICD
5th: 5th_ICD

Name	Definition
ICD_10	Underlying cause-of-death code (ICD-10)
4th_ICD	4th
5th_ICD	5th

Uses

The underlying cause of death assigned on the death certificate is the basis for the nation's official count of deaths due to homicide, suicide, and other causes. A comparison of this variable and the CME variable "Manner", and the abstractor variable "Type of Death", will indicate the degree to which data sources vary in classifying deaths.

Discussion

Cause of death is coded using the system established by the World Health Organization's International Classification of Diseases (ICD). A variable should be coded exactly as it appears in the underlying cause of death field in death certificate data. If death certificate data are not available at the time that the reporting site is gathering data on the case, code as Unknown. These data may be reported at a later update. Use the decimal point following the second digit. Do not use trailing zeros after the decimal point (unless a true zero is part of the actual code). The code options listed below indicate codes in the reportable range.

The fourth ICD-10 digit in the underlying cause of death code is used with some external cause code categories to identify the place of occurrence of the external cause where relevant. The fifth ICD-10 digit is provided for optional use in a supplementary character position with some categories to indicate the activity of the injured person at the time the event occurred. This subclassification should not be confused with, or be used instead of, the recommended fourth-character subdivisions provided to indicate the place of occurrence.

Name	Label	Table	Type	Field Length	Priority	Primacy
ICD_10	Underlying cause of death code:	Person	Text	6	О	DC
4th_ICD	4th	Person	Text	1	О	DC
5th_ICD	5th	Person	Text	1	0	DC

Response Options:

ICD 10

Format: L##.## (the first character must be a letter, followed by at least two and up to four digits)

ICD-10 coding of first 3 to 4 characters (cause of injury):

- U01 Assault by terrorism
- U01.0 Assault by terrorism by explosion of marine weapons
- U01.1 Assault by terrorism involving destruction of aircraft
- U01.2 Assault by terrorism involving other explosions and fragments
- U01.3 Assault by terrorism involving fires, conflagration, hot substances
- U01.4 Assault by terrorism involving firearms
- U01.5 Assault by terrorism involving nuclear weapons
- U01.6 Assault by terrorism involving biological weapons
- U01.7 Assault by terrorism involving chemical weapons
- U01.8 Assault by terrorism, other specified
- U01.9 Assault by terrorism, unspecified
- U02 Sequelae of terrorism
- U03 Intentional self-harm by terrorism
- U03.0 Intentional self-harm by terrorism involving explosions and fragments
- U03.9 Intentional self-harm by terrorism by other and unspecified means
- W32 Accidental handgun discharge
- W33 Accidental rifle, shotgun, and larger firearm discharge
- W34 Accidental discharge from other and unspecified firearms (this code does not discriminate between firearms and nonpowder guns)
- X60–X69 Intentional self-poisoning
 - X70 Intentional self-harm by hanging, strangulation, and suffocation
 - X71 Intentional self-harm by drowning and submersion
 - X72 Intentional self-harm by handgun discharge
 - X73 Intentional self-harm by rifle, shotgun, and larger firearm discharge
 - X74 Intentional self-harm by other and unspecified firearm discharge
 - X75 Intentional self-harm by explosive material
 - X76 Intentional self-harm by smoke, fire, and flames
 - X77 Intentional self-harm by steam, hot vapors, and hot objects
 - X78 Intentional self-harm by sharp object
 - X79 Intentional self-harm by blunt object
 - X80 Intentional self-harm by jumping from a high place
 - X81 Intentional self-harm by jumping or lying before moving object
 - X82 Intentional self-harm by crashing a motor vehicle
 - X83 Intentional self-harm by other specified means
 - X84 Intentional self-harm by unspecified means
 - X85 Assault by drugs, medicaments, and biological substances
 - X86 Assault by corrosive substance
 - X87 Assault by pesticides
 - X88 Assault by gases and vapors
 - X89 Assault by other specified chemicals and noxious substances
 - X90 Assault by other unspecified chemicals and noxious substances
 - X91 Assault by hanging, strangulation, and suffocation
 - X92 Assault by drowning and submersion

X93	Assault by handgun discharge
X94	Assault by rifle, shotgun, and larger firearm discharge
X95	Assault by other and unspecified firearm discharge
X96	Assault by explosive material
X97	Assault by smoke, fire, and flames
X98	Assault by steam, hot vapors, and hot objects
X99	Assault by sharp object
Y00	Assault by blunt object
Y01	Assault by pushing from high place
Y02	Assault by pushing or placing victim before moving object
Y03	Assault by crashing a motor vehicle
Y04	Assault by bodily force (unarmed brawl or fight)
Y05	Sexual assault by bodily force
Y06	Neglect and abandonment
Y07	Other maltreatment syndromes (physical or sexual abuse, torture)
Y08	Assault by other specified means
Y09	Assault by unspecified means
Y10	Poisoning by and exposure to nonopioid analgesics, antipyretics,
	and antirheumatics undetermined intent
Y11	Poisoning by and exposure to antiepileptic, sedative-hypnotic,
	antiparkinsonism, and psychotropic drugs, not elsewhere classified,
	undetermined intent
Y12	Poisoning by and exposure to narcotics and psychodysleptics
	hallucinogens, not elsewhere classified, undetermined intent
Y13	Poisoning by and exposure to other drugs acting on the autonomic
	nervous system, undetermined intent
Y14	Poisoning by and exposure to other and unspecified drugs, medicaments,
****	and biological substances, undetermined intent
Y15	Poisoning by and exposure to alcohol, undetermined intent
Y16	Poisoning by and exposure to organic solvents and halogenated
****	hydrocarbons and their vapors, undetermined intent
Y17	Poisoning by and exposure to other gases and vapors,
***	undetermined intent
Y18	Poisoning by and exposure to pesticides, undetermined intent
Y19	Poisoning by and exposure to other and unspecified chemicals
1/20	and noxious substances, undetermined intent
Y20	Hanging, strangulation, and suffocation, undetermined intent
Y21	Drowning and submersion, undetermined intent
Y22	Handgun discharge, undetermined intent
Y23	Rifle, shotgun, and larger firearm discharge, undetermined intent
Y24	Other and unspecified firearm discharge, undetermined intent
Y25	Contact with explosive material, undetermined intent
Y26	Exposure to smoke, fire, and flames, undetermined intent
Y27	Contact with steam, hot vapors, and hot objects, undetermined intent

Contact with sharp object, undetermined intent

Contact with blunt object, undetermined intent

undetermined intent

Falling, lying, or running before or into moving object,

Falling, jumping, or pushed from a high place, undetermined intent

Y28 Y29

Y30

Y31

- Y32 Crashing of motor vehicle, undetermined intent
- Y33 Other specified events, undetermined intent
- Y34 Unspecified event, undetermined intent
- Y35.0 Legal intervention involving firearm discharge
- Y35.1 Legal intervention involving explosives
- Y35.2 Legal intervention involving gas
- Y35.3 Legal intervention involving blunt objects
- Y35.4 Legal intervention involving sharp objects
- Y35.6 Legal intervention involving other specified means
- Y35.7 Legal intervention, means unspecified
- Y86 Sequelae of other accidents (where determined to be due to firearms)
- Y87.0 Sequelae of intentional self-harm
- Y87.1 Sequelae of assault
- Y87.2 Sequelae of events of undetermined intent
- Y89.0 Sequelae of legal intervention
- Y89.9 Sequelae of unspecified external cause
- L88.88 Not applicable*
- L99.99 Unknown or missing*

4th_ICD

ICD-10 coding of 4th character (type of place of occurrence) — applies only to codes in the W32 to Y34 range above, except Y06 and Y07.

- 0 Home
- 1 Residential institution
- 2 School, institution, public administrative area (e.g., courthouse, hospital, daycare center)
 - Sports and athletic area
- 4 Street and highway
- 5 Trade and service area
- 6 Industrial and construction (e.g., factory, shipyard)
- 7 Farm

3

- 8 Other
- 9 Unspecified

5th ICD

ICD-10 Coding of 5th character (type of activity when injured) — applies only to codes in the W32 to Y34 range above.

- 0 While engaged in sports activity
- 1 While engaged in leisure activity
- While working for income
- While engaged in other types of work (e.g., chores, school)
- While resting, sleeping, eating, or engaging in other vital activities
- 5 While engaged in other specified activities
- While engaged in unspecified activities

Data Standards or Guidelines

(ICD-10) International Statistical Classification of Diseases and Related Health Problems: 10th Revision: Geneva: World Health Organization 1992.

^{*} Not an ICD-10 code, but an added code

Autopsy performed: Autpsy

Name	Definition
Autpsy	Autopsy performed on the victim?

Uses

Decedents who have been autopsied are likely to have more reliable cause of death codes and pregnancy findings.

Discussion

A yes/no item appears on the death certificate to indicate if an autopsy was performed. Autopsies are not always performed on every case that comes to the attention of a CME. For example, a witnessed suicide may not be autopsied. In some cases, a partial autopsy may be performed. For example, a person who kills him or herself with a gunshot wound to the head may receive a head-only autopsy. A "visual-only autopsy" (that is, the body was visually inspected, but not physically examined) does not qualify as an autopsy here.

Name	Label	Table	Type	Field Length	Priority	Primacy
Autpsy	Autopsy performed:	Person	Number	1	LR/ER	CME/DC

Response Options:

Autpsy

- 0 Not autopsied
- 1 Autopsied (full or partial)
- 9 Unknown

Data Standards or Guidelines

Person was pregnant: Preg

Name	Definition
Preg	Person was pregnant or recently pregnant at the time of death

Uses

This variable is used to identify pregnant or recently pregnant victims and to document types of violence against pregnant and postpartum women. It is also useful in documenting a potentially precipitating circumstance in suicide cases.

Discussion

Victim's pregnancy status is often noted on the death certificate and in the CME report. Findings are more likely to be authoritative if a full autopsy has been performed. This variable should be coded for all female victims regardless of age. The variable will not apply to males. It is based on the codes used on the new U.S. standard death certificate. As such, it collects pregnancy status at the time of death, not at the time of injury. So, for example, if a pregnant woman was assaulted, miscarried, and died a month later, she would be coded in the CME version of the variable as "Not pregnant but pregnant within 42 days of death," not as "Pregnant at time of death". Code "Unknown", regardless of the victim's age, if the victim's pregnancy status is not mentioned on the record for the CME version of the variable or for states that have added their own pregnancy variable to their death certificate. If the victim is noted by the CME or death certificate as "Not pregnant", but there is no mention as to whether she was pregnant in the year preceding her death, code the variable as "Unknown". If your state's death certificate has a pregnancy variable that does not match the national standard, use the 4 and 5 options to capture this information on the DC screen. Continue to use the 0-3 options to code this information on the CME screen.

Name	Label	Table	Type	Length	Priority	Primacy
Preg	Person was pregnant:	Person	Number	1	LR/LR	CME/DC

T22 . 1.1

Response Options:

Preg

- 0 Not pregnant within last year
- 1 Pregnant at time of death
- Not pregnant but pregnant w/in 42 days of death
- Not pregnant but pregnant 43 days to 1 year before death
- 4 Not pregnant, not otherwise specified
- 5 Pregnant, not otherwise specified
- 8 Not applicable
- 9 Unknown if pregnant within past year

Data Standards or Guidelines

Manner of death: Manner

Name	Definition
Manner	Manner of death

Uses

Manner of death is a broad classification of the cause of death as natural, accidental, suicide, homicide, pending investigation, or not determined. Manner is determined by the coroner or medical examiner and, when considered in conjunction with the narrative cause of death statements on the death certificate, is the basis for how the official underlying cause of death is coded in vital statistics data. Data describing the manner of death are useful for public health surveillance, for health care planning and administration, and for clinical and health services, and epidemiologic research. Because the CME's manner of death sometimes contradicts the manner implied by the death certificate's underlying cause-of-death code, the police designation of the death, or the death type assigned to the victim by the abstractor, it is useful to document manner by source.

Discussion

CMEs investigate suspicious injury deaths and determine the likely manner of death using a check box on the death certificate. Record the manner of death exactly as it appears on the death certificate and CME report. If a manner is noted as "Pending investigation," check back on the case later to update the manner. "Pending" is considered a temporary designation. Since states' death certificates may have a state-added code to indicate "Legal intervention" as the manner of death, code "Legal intervention" only if it is presented on the death certificate. Do not use the DC manner for the CME manner field even if the DC is found in the ME records. Record the manner from the CME records.

Name	Label	Table	Type	Field Length	Priority	Primacy
Manner	Manner of death:	Person	Number	1	LR/ER	CME/DC

Response Options:

Manner

- 1 Natural
- 2 Accident
- 3 Suicide
- 4 Homicide
- 5 Pending investigation
- 6 Could not be determined
- 7 Legal intervention
- 9 Record not available or blank

Data Standards or Guidelines

Date of injury: IDate Time of injury: ITime

Name	Definition
IDate	Date of injury
ITime	Time of Injury

Uses

Date of injury can be used to examine trends over time in violent deaths, to detect epidemics, and to test for seasonal effects on violent death. Time of injury can be used to identify times of day incidents may be more likely to occur. Date and time of injury can also be used to interpret toxicology test results. See the Introduction section of this manual for a discussion about handling variables that can identify individual persons or agencies.

Discussion

Exact date and time of injury are sometimes unknown, as in an unwitnessed suicide or homicide. Do not enter date that the victim was last seen if actual date of injury is unknown. The software allows for partially known date information to be entered. For example, if a suicide victim was last seen July 6th and the body was discovered July 7th, but the day the victim was injured was unknown, date of injury can be coded as 07/99/2003. If month and day are unknown, but the year is known, code the date as 99/99/2003. If no information is known about when the incident occurred (as in when skeletal remains are found), it is acceptable to code date of injury as 99/99/9999. If a range of greater than one hour is noted for the time of injury (e.g., "sometime between 9:30 a.m. and noon"), treat time as unknown. If a range of less than an hour is given (e.g., "around 9:30 a.m." or "between 9:30 and 10:30"), code that as the lowest time in the range (0930 in both cases). Time of injury is coded using the 24-hour military format. Midnight is 0000.

Name	Label	Table	Type	Field Length	Priority	Primacy
IDate	Date of injury:	Person	Text	10	ER/LR/LR	DC/CME/PR
ITime	Time of injury:	Person	Text	5	ER/LR/LR	DC/CME/PR

Response Options:

IDate

mm\dd\yyyy

ITime

####

Data Standards or Guidelines

NVISS

Type of location where injured: LocTyp

Name	Definition
LocTyp	Type of place at which the injury occurred

Uses

Data on the type of place at which an injury occurred help to describe the injury-producing event and are valuable for planning and evaluating prevention programs.

Discussion

Code the location at which the victim was injured. Designations of specific buildings (such as "House, apartment" or "Bar, nightclub") include both the building itself and the area directly outside, such as a driveway, porch, or front walk. If a victim was injured in a variety of locations (e.g., the victim was stabbed on a bus and was pursued by the attacker off the bus and into a store and stabbed a second time), code the location at which the victim was first injured. Events that occur on public sidewalks should be coded as "Street", with the exception of those occurring on sidewalks that are the private property of an adjacent building. Those should be coded to the building. For example, an incident that occurs on a walkway on the front lawn of a home should be coded as "House, apartment". If an incident occurs in a garage at a private home, code "House, apartment". If an incident occurs in a commercial parking garage, parking lot, or a garage used by four or more different households (e.g., a garage serving a large apartment building), code the location as "12 – Parking lot/public parking garage". If an incident occurs while the victim is in a motor vehicle, please code "4 – Motor vehicle" rather than the location of the motor vehicle. Injury "site", injury "location", and injury "scene" can all be used as synonyms. If the injury occurred in a "home," put down "House, apartment" even if it is not certain that this was the victim's home.

Name	Label	Table	Туре	Field Length	Priority	Primacy
LocTyp	Type of location where injured:	Person	Number	2	ER/LR/LR	DC/PR/CME

Response Options:

LocTyp

- 1 House, apartment, including driveway, porch, yard
- 2 Street/road, sidewalk, alley
- 3 Highway, freeway
- 4 Motor vehicle (excluding school bus, 15 and public transportation, 21)
- 5 Bar, nightclub
- 6 Service station
- 7 Bank, credit union, ATM location
- 8 Liquor store
- 9 Other commercial establishment (e.g., grocery store, retail outlet, laundromat), including parking lot
- 10 Industrial or construction areas (e.g., factory, warehouse)

11	Office building
12	Parking lot/public parking garage (e.g., parking lot at mall,
	parking lot shared by four or more households)
13	Abandoned house, building, or warehouse
14	Sports or athletic area (e.g., stadium, baseball field, gymnasium, recreation center)
15	School bus
16	Child care center, daycare, preschool
17	Elementary school, middle school (i.e., K-8) including school dormitory, residential school
18	High school. including school dormitory, residential school
19	College/University, including dormitory, fraternity/sorority
20	Unspecified school
21	Public transportation or station (e.g., bus, train, plane, airport, depot, taxi)
22	Synagogue, church, temple
23	Hospital or medical facility
24	Supervised residential facility (e.g., shelter, halfway house, group home)
25	Farm
26	Jail, prison, detention facility
27	Park, playground, public use area
28	Natural area (e.g., field, river, beaches, woods)
29	Hotel/motel
66	Other (e.g., on railroad tracks)
99	Unknown

Data Standards or Guidelines

NVISS

Injured at work: AtWork

Name	Definition
------	-------------------

AtWork Injury occurred at work or while the person was working

Uses

Knowing the relationship of the incident to a person's work can help determine the impact of violence and suicide in the workplace and can be used to plan and develop work-related violence prevention programs.

Discussion

"AtWork" includes those incidents that occur while the person is at work or working. These injuries could occur at the person's place of work or off-site during the course of work-related activities. For example, a person who is murdered while driving a truck to deliver produce should be coded as a work-related injury. However, a person who is shot while commuting between work and home would not be considered to have suffered a work-related injury. The AtWork definition applies only to current jobs. The "Injured at work" item on the death certificate is supposed to be filled out for all injury victims with the exception of those less than age 14 (unless warranted for a younger child injured at work). "Not applicable" can therefore be coded for victims ages 13 years and younger. An injury at work can occur:

- on employer premises while engaged in work activity, apprenticing, or in vocational training (regardless of the relationship between the victim and suspect);
- on employer premises while on break, in hallways, rest room, cafeteria, or storage area;
- on employer parking lots while working, arriving or leaving;
- while working for pay or compensation, including at home;
- while working as a volunteer EMS, firefighter, or law enforcement officer;
- while working in a family business, including family farm (activity should be clearly related to a profit-oriented business);
- while traveling on business, including to and from customer/business contacts;
- while engaged in work activity where a vehicle is considered the work environment.

An injury at work does not include:

- commuting to or from work;
- engaging in criminal activity as a means of economic support;
- engaging in recreational activities on employer controlled facilities (e.g., games) for personal enjoyment on employer premises;
- on employer premises while victim was visiting for non-work purposes (i.e., not on official business);
- working as a homemaker at homemaking activities;

- engaging in school activities while enrolled as a student;
- working for self or for no profit (e.g., mowing yard, repairing own roof, hobby, recreational activities)
- operating a vehicle (personal or commercial) for non-work purposes

Name	Label	Table	Туре	Field Length	Priority	Primacy
AtWork	Injured at work:	Person	Number	1	ER/LR/LR	DC/PR/CME

Response Options:

AtWork

- 0 No, injury did not occur at work or while the victim was working
- 1 Yes, injury occurred at work or while the victim was working
- 8 Not applicable (e.g., child, unemployed, retiree)
- 9 Unknown

Data Standards or Guidelines

INJURY ADDRESS

State of injury FIPS code:
County of Injury:
City of injury FIPS code:
Street and number of injury site:
US Census block group of injury:
US Census tract of injury:
CnsTrt

Name	Definition
InjState	State in which injury was inflicted
County	County in which injury occurred (FIPS code)
InjPlace	City/town in which injury was inflicted
InjAddres	Street address at which injury was inflicted
CnsBlk	Census block in which injury was inflicted
CnsTrt	Census tract in which injury was inflicted

Uses

The address of the incident is used to determine the agency responsible for potential public health interventions; to gain information about the socioeconomic status (SES) of the neighborhoods where injuries occur (via U.S. Census data); to map incidents; and to conduct analyses of the distribution of cases by SES and geographic area. See the Introduction section of this manual for a discussion about handling variables that can identify individual persons or agencies.

Discussion

If the incident covers more than one address, code the address where the first injury was inflicted. In some cases, there will not be an explicit address for the injury incident (e.g., in a field or park). In these cases, record the nearest address or cross streets. If the nearest street address or intersection is not available from the records, enter the place name, e.g., the name of the park or beach. The address information should be collected at the local level in a format that meets the local standards for geocoding. Reporting sites planning to geocode their data at the local level can generate the census block group and tract where the incident occurred from a geocoding program. In some states, the vital statistics registry or police department will have already geocoded the address and will have census tract and block group information available.

The person's city/town ("Place") is coded using standard Federal Information Processing Standards (FIPS) codes. The NVDRS software provides these codes in drop-down menus with a convenient user interface. For out-of-state addresses, the following website will supply FIPS place codes: http://geonames.usgs.gov/fips55.html. FIPS place codes are frequently more specific than standard city/town designations. For example, they frequently supply codes for neighborhoods of cities.

The county is coded using standard Federal Information Processing Standards (FIPS) codes. These codes are provided in drop-down menus in the NVDRS software. For out-of-state addresses, the following website will supply FIPS county codes: http://geonames.usgs.gov/fips55.html.

If the state of injury or country of injury is unknown, enter 99. If the place of injury is a U.S. territory, enter the FIPS code for that territory. If the place of injury was known to be outside of the U.S. and its territories, enter 88 for "Not applicable". Native American reservations should be coded as the state in which it is located.

Note: Vital Statistics data use two coding systems for states: FIPS and their own system. Please use the FIPS version here.

Name	Label	Table	Type	Field Length	Priority	Primacy
InjState	State of injury FIPS code:	Person	Number	2	ER/LR/LR	DC/CME/PR
County	County of Injury:	Person	Number	3	ER/LR/LR	DC/CME/PR
InjPlace	City of injury FIPS code:	Person	Number	5	ER/LR/LR	DC/CME/PR
InjAddres	Street and number of injury site:	Person	Text	100	O/LR/LR	DC/CME/PR
CnsBlk	US Census block group of injury:	Person	Text	1	О	DC
CnsTrt	US Census tract of injury:	Person	Text	7	0	DC

Response Options:

InjState

- 1 Alabama
- 2 Alaska
- 4 Arizona
- 5 Arkansas
- 6 California
- 8 Colorado
- 9 Connecticut
- 10 Delaware
- 11 District of Columbia
- 12 Florida
- 13 Georgia
- 15 Hawaii
- 16 Idaho

Person/DC/Main Elements

- 17 Illinois
- 18 Indiana
- 19 Iowa
- 20 Kansas
- 21 Kentucky
- 22 Louisiana
- 23 Maine
- 24 Maryland
- 25 Massachusetts
- 26 Michigan
- 27 Minnesota
- 28 Mississippi
- 29 Missouri
- 30 Montana
- 31 Nebraska
- 32 Nevada
- 33 New Hampshire
- 34 New Jersey
- 35 New Mexico
- 36 New York
- 37 North Carolina
- 38 North Dakota
- 39 Ohio
- 40 Oklahoma
- 41 Oregon
- 42 Pennsylvania
- 43 Puerto Rico
- 44 Rhode Island
- 45 South Carolina
- 46 South Dakota
- 47 Tennessee
- 48 Texas
- 49 Utah
- 50 Vermont
- 51 Virginia
- 53 Washington
- 54 West Virginia
- 55 Wisconsin
- 56 Wyoming
- 60 American Samoa
- 64 Federated States of Micronesia
- 66 Guam
- 68 Marshall Islands
- 69 Northern Mariana Islands
- 70 Palau
- 74 U.S. Minor Outlying Islands
- 78 Virgin Islands of the U.S.
- 88 Not applicable
- 99 Unknown

County
999 Unknown
InjPlace
99999 Unknown
InjAddres
9 Unknown
CnsBlk
9 Unknown

CnsTrt 9999.99 Unknown

Data Standards or Guidelines

Federal Information Processing Standards (FIPS); National Institute of Standards and Technologies; U.S. Bureau of the Census; U.S. Postal Service

Survival time no. of units: Surviv Unit of time used in survival time: Sunit

Name	Definition
Surviv	Interval between injury and death
Sunit	Unit used to report interval between injury and death

Uses

Survival time can be used to evaluate health outcome data and EMS system needs. It can also be useful in interpreting toxicology test results.

Discussion

Survival time is noted on the death certificate in the section called "Approximate interval between onset and death" to the right of the cause of death text. It is often either explicitly mentioned in the CME's report or it can be calculated based on date and time of injury and death. If date and time of injury or death are not known, do not calculate survival based on the interval between the time the person was last seen and the body found (unless that was under two hours). Use only the survival time listed for the violent injury. Do not use the survival time listed for the consequences or complications of injury. Do not add the survival times listed next to each cause of death listed on the death certificate. Indicate the length of survival interval in Surviv and the units of measurement for the interval (e.g., minutes, hours, days) in Sunit. For under two hours, use minutes; for two hours through 47 hours, use hours; for 48 hours and over, use days. For 365 or more days, use years. Round to the nearest unit. If survival time was noted as a range, use the high end of the range (e.g., 15-30 minutes, use 30). If survival time is not precisely noted, indicate 999 in Surviv and the applicable unit in Sunit (e.g., "patient survived a few minutes" would be 999 in Surviv and 1 [minutes] in Sunit). If death is described as "immediate," "sudden," or "instantaneous," indicate 0 in Surviv and 1 [minutes] in Sunit.

Name	Label	Table	Туре	Field Length	Priority	Primacy
Surviv	Survival time no. of units:	Person	Number	3	O/O	DC/CME
Sunit	Unit of time used in survival time:	Person	Number	1	O/O	DC/CME

Response Options:

Surviv

Duiviv	999	Unknown
Sunit		
	1	Minutes
	2	Hours
	3	Days
	4	Years
	5	Months
	8	Not applicable
	9	Unknown

Data Standards or Guidelines

NVISS

Education: Educ
Number years education: OldEduc

Name	Definition
Educ	Person's education level
OldEduc	Number of years of education

Uses

The victim's educational level is an important indicator of socioeconomic status and is used in epidemiologic and other scientific analyses. For very young children who are not in school, code as 0.

Discussion

The options for the "Education" variable are those on the 2003 death certificate. Since not all states will have moved to the new format by 2003, the pre-2003 education format is provided in the "Number years education" variable. Only one of the two options has to be completed on the DC Main Elements screen. Vocational and trade school should be coded as "High school graduate".

Name	Label	Table	Туре	Field Length	Priority	Primacy
Educ	Education:	Person	Number	1	O/O	DC/CME
OldEduc	Number years education:	Person	Number	2	О	DC

Response Options:

_		
\mathbf{r}	1.	- 0
Γ	11	11

- 0 8th grade or less
- 1 9th to 12th grade; no diploma
- 2 High school graduate or GED completed
- 3 Some college credit, but no degree
- 4 Associate's degree (e.g., AA, AS)
- 5 Bachelor's degree (e.g., BA, AB, BS)
- 6 Master's degree (e.g., MA, MS, Mend, Med, MSW, MBA)
- 7 Doctorate (e.g., PhD, EdD) or Professional degree
- (e.g., MD, DDS, DVM, LLB, JD)
- 9 Unknown

OldEduc

- 0 0 years
- 1 1 year
- 2 2 years
- 3 years
- 4 4 years
- 5 5 years
- 6 6 years

7	7 years
8	8 years
9	9 years
10	10 years
11	11 years
12	12 years
13	13 years
14	14 years
15	15 years
16	16 years
17	17 years
99	Unknown

Data Standards or Guidelines

USUAL OCCUPATION

Usual occupation code:
Usual occupation text:
UsOcTx
Kind of business/industry code:
Usual industry text:
Usual industry text:
Usual industry text

Name	Definition
UsuOcc	Usual occupation of the victim as recorded on the death certificate
UsOcTx	Victim's usual occupation text
Indust	Victim's usual business or industry code
IndTxt	Victim's usual business/industry text

Uses

The victim's usual occupation is an indicator of socioeconomic status and may be associated with an increased risk of intentional injury. "Usual industry" is the kind of business or industry to which the victim's occupation is related, such as insurance, farming, or government.

Discussion

Most states' registry of vital records encodes the decedent's usual occupation and industry on the death certificate. Usual occupation/industry is not necessarily the victim's current occupation/industry. Provide information exactly as it appears in the death certificate data. If the text descriptor is recorded on the death certificate, and a numeric code is not provided, report only the text information and use the code "080" to indicate that the actual code is unavailable. The codes 999 for occupation and 090 for industry are assigned by the Occupation and Industry coder to indicate "blank, unknown, or NA". These codes should only be used if they appear in the death certificate data. If text is provided describing the occupation and industry, but no code is provided, sites should not code the information themselves, as industry and occupation coding requires special training. If the death certificate is blank, use the code "080" to indicate unavailable and use the text field to indicate blank, unknown, or not available.

Name	Label	Table	Type	Field Length	Priority	Primacy
UsuOcc	Usual occupation code:	Person	Number	3	О	DC
UsOcTx	Usual occupation text:	Person	Text	50	О	DC
Indust	Kind of business/ industry code:	Person	Number	3	О	DC
IndTxt	Usual industry text:	Person	Text	50	О	DC

Response Options:

UsuOcc UsOcTx Indust IndTxt

Data Standards or Guidelines

For occupation and industry codes: U.S. Bureau of the Census; Classified index of industries and occupations; 1990 Census of Population and Housing; First Edition; U.S. Government Printing Office, April 1992. For codes designating those without occupations (such as "student"): Centers for Disease Control and Prevention, National Center for Health Statistics. Public use data file Documentation: Multiple Cause of Death for ICD-9 1997 Data.

Multiple conditions on Death Certificate 1-20:

(Mult1001 through Mult1020)

4th: (Mult1004D4 through Mult1020D4) 5th: (Mult1004D5 through Mult1020D5)

Name	Definition
Mult1001 through Mult 1020	Describes the nature of the injury and other conditions leading to death. Up to 20 multiple condition codes can be entered
Mult1004D4 through Mult1020D4	4th
Mult1004D5 through Mult1020D5	5th

Uses

The "nature of injury" (or "multiple condition") codes assigned to the death certificate specify the anatomic location and nature of the injuries. This information may assist in evaluating emergency medical response.

Discussion

Multiple condition codes are assigned by the registry of vital records to death certificate records to indicate the nature of injuries and diseases leading to death. Codes are based on the International Classification of Diseases 10th edition coding protocols, thus "Mult10". The underlying cause of death code is captured in a separate variable on the DC Main Elements screen. The Mult10 elements should be coded exactly as they are coded in the multiple cause of death fields in death certificate data. These codes can include both diagnosis codes (nature of injury and disease) and external cause of injury codes. Codes should be entered with decimal points in the fourth position. No more than 20 codes can be entered.

The fourth ICD-10 digit in the underlying cause of death code is used with external cause code categories W00 to Y34 (except for Y06. and Y07.) to identify the place of occurrence of the external cause where relevant. The fifth digit is provided for optional use in a supplementary character position with external cause categories W00 to Y34 to indicate the activity of the injured person at the time the event occurred. This subclassification should not be confused with, or be used instead of, the recommended fourth-character subdivisions provided to indicate the place of occurrence.

Name	Label	Table	Туре	Field Length	Priority	Primacy
Mult1001	Multiple conditions on Death Certificate 1:	Person	Text	6	О	DC
Mult1002	Multiple conditions on Death Certificate 2:	Person	Text	6	О	DC
through						
Mult1020	Multiple conditions on Death Certificate 20:	Person	Text	6	О	DC
Mult1001D4	4th	Person	Text	1	О	DC
through						
Mult1020D4	4th	Person	Text	1	О	DC
Mult1001D5	5th	Person	Text	1	О	DC
through						
Mult1020D5	5th	Person	Text	1	О	DC

Response Options:

Mult1001

thru

Mult1020

Mult1001D4

thru

Mult1020D4

Mult1001D5

thru

Mult1020D5

Format: L##.## (the first character must be a letter, followed by at least two and up to four digits)

L88.88 Not applicable*

L99.99 Unknown or missing*

*Not an ICD-10 code, but an added code (See page 4-17)

Data Standards or Guidelines

ICD-10: International Statistical Classification of Diseases and

Related Health Problems: 10th Revision.